Erythrosin B, 1%



Product Description

Product Name: Recommended Use: Synonyms: **Distributor:**

Section 1

Erythrosin B, 1% Science education applications FD&C Red No. 3, Erythrosine, Erythrosine B; Acid Red 51 Carolina Biological Supply Company 2700 York Road, Burlington, NC 27215 1-800-227-1150 800-227-1150 (8am-5pm (ET) M-F) 800-424-9300 (Transportation Spill Response 24 hours)

Chemical Information: Chemtrec:

Hazard Identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;



Section 2



Highly flammable liquid and vapor. Causes serious eye irritation. May cause respiratory irritation. May cause drowsiness or dizziness.

GHS Classification:

Flammable Liquid Category 2, Serious Eye Damage/Eye Irritation Category 2, Specific Target Organ Systemic Toxicity (STOT) - Single Exposure Category 3

Section 3

Composition / Information on Ingredients

<u>Chemical Name</u> 2-Propanol Water	<u>CAS #</u> 67-63-0 7732-18-5 46422-68-0	<u>%</u> 95 4	
Erythrosin B	16423-68-0	1	

Section 4

First Aid Measures

Emergency and First A Inhalation: Eyes:	id Procedures IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.				
Skin Contact:	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.				
Ingestion:	If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.				
Section 5	Firefighting Procedures				
Extinguishing Media:	Use alcohol resistant foam, carbon dioxide, dry chemical, or water spray when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the fire. Do not direct a water stream directly				

into the hot burning liquid. **Fire Fighting Methods and Protection:** Firefighters should wear full protective equipment and NIOSH approved self-contained Fire and/or Explosion Hazards:

breathing apparatus. Vapors may travel back to ignition source. Closed Containers exposed to heat may explode. Fire or excessive heat may produce hazardous decomposition products.

Hazardous Combustion Products:

Sodium Oxides, Carbon oxides, Hydrogen Iodide

Hazardous Comb	ustion Products:	Sodium Oxides, Carbo	on oxides, Hydrogen Ic	odide	
Section 6		Spill or Leak	Procedures		
Steps to Take in 0 Released or Spille	ed: 6 r t c c c c c c c c c c c c c c c c c c	Exposure to the spilled material may be irritating or harmful. Follow personal protective equipment recommendations found in Section 8 of this SDS. Additional precautions may be necessary based on special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred. Also consider the expertise of employees in the area responding to the spill. Ventilate the contaminated area. Evaporation of volatile substances can lead to the displacement of air creating an environment that can cause asphyxiation. Evacuate the area promptly. Use water spray to dilute spill to a nonflammable mixture Use an inert absorbent such as sand or vermiculite. Place in properly labeled closed container. Contain the discharged material. Shut off ignition sources; including electrical equipment and flames. Do not allow smoking in the area.			
Section 7		Handling a	nd Storage		
Handling:	Ground/bond contai equipment. Use only dust/fume/gas/mist/ Wear protective glov	at/sparks/open flames/hot ner and receiving equipme y non-sparking tools. Take vapors/spray. Wash thorou ves/protective clothing/eye feep away from sources of	ent. Use explosion-pro precautionary measur ughly after handling. U protection/face protect	of electrical/ventilating/ligh res against static discharg se only outdoors or in a w stion. Bond and ground co	nting// e. Avoid breathing ell-ventilated area.
Storage:	transferring liquid. Keep away from sources of ignition - No smoking. Keep container tightly closed. Store in a well-ventilated place. Keep container tightly closed. Store in a well- ventilated place. Keep cool. Store locked up. This material should be kept in an area suitable for the storage of flammable liquids. Store away from oxidizing agents, sparks and flame.				
Storage Code:	Red - Flammables.	Store in approved flammat	ole containers. Store a	way from oxidizing materi	als.
Section 8		Protection	Information		
		ACC		<u>OSHA F</u>	
<u>Chemical Name</u> 2-Propanol		(TWA) 200 ppm TWA	<u>(STEL)</u> 400 ppm STEL	(TWA) 400 ppm TWA; 980 mg/m3 TWA	<u>(STEL)</u> N/A
Control Parameter Engineering Meas Personal Protecti Respiratory Prote	sures: ve Equipment (PPE)	handling or using this p should be sufficient to	product to avoid overe control airborne conta /ash, safety shower.		
Respirator Type(s Eye Protection:		NIOSH approved air p Wear chemical splash available.	urifying respirator with goggles when handlin	organic vapor cartridge a g this product. Have an e	ye wash station
Skin Protection:		equipment depending and replace at regular other exposed areas w work.	upon conditions of use intervals. Clean protect	sistant gloves, an apron ar e. Inspect gloves for chem ctive equipment regularly. er before eating, drinking,	ical break-through Wash hands and
Gloves:		Nitrile			
Section 9		Physic	al Data		
Formula: See Sec Molecular Weight	:: N/A		Vapor Pressure: 42 Evaporation Rate (I	BuAc=1): 2.3	

Molecular Weight: N/A Appearance: Colorless Liquid Odor: Strong Alcohol Odor Odor Threshold: No data available pH: No data available Melting Point: -89 C Boiling Point: 83 C Flash Point: 12 C Flammable Limits in Air: 2.0 12.7 Vapor Pressure: 42 hPa at 20 °C Evaporation Rate (BuAc=1): 2.3 Vapor Density (Air=1): 2.01 Specific Gravity: 0.7861 at 20 °C Solubility in Water: Soluble Log Pow (calculated): No data available Autoignition Temperature: 399 C Decomposition Temperature: No data available Viscosity: No data available Percent Volatile by Volume: 99%

Reactivity Data

Reactivity:	No data available
Chemical Stability:	Stable under normal conditions.
Conditions to Avoid:	Sparks, open flame, other ignition sources, and elevated temperatures.
Incompatible Materials:	Acids, Strong oxidizing agents, Strong reducing agents, Metals, Peroxides, Epoxides, Isocyanates, Water-reactive materials
Hazardous Decomposition Products:	Hydrogen Iodide, Carbon oxides, Sodium Oxides
Hazardous Polymerization:	Will not occur

Section 11

Section 10

Toxicity Data

Routes of Entry Inhalation, ingestion, eye or skin contact. Symptoms (Acute): Respiratory disorders **Delayed Effects:** No data available

Acute Toxicity:				
Chemical Name	CAS Number	Oral LD50	Dermal LD50	Inhalation LC50
2-Propanol	67-63-0	Oral LD50 Rat 5045 mg/kg Oral LD50 Mouse 3600 mg/kg		INHALATION LC50 Rat 16000 ppm
Water	7732-18-5	Oral LD50 Rat 90000 mg/kg		
Erythrosin B	16423-68-0	0.0		
Carcinogenicity:				
Chemical Name	CAS Number	IARC	NTP	OSHA
2-Propanol	67-63-0	Listed	Not listed	Not listed
Chronic Effects:				
•• • • •				

Mutagenicity: Teratogenicity: Sensitization: Reproductive: Target Organ Effects: Acute: Chronic:

No evidence of a mutagenic effect. No evidence of a teratogenic effect (birth defect). No evidence of a sensitization effect. No evidence of negative reproductive effects.

See Section 2 N/A

Section 12

Ecological Data

Overview: This material is not expected to be harmful to the ecology. Keep out of waterways. Mobility: No data No data Persistence: **Bioaccumulation:** No data Degradability: No data **Other Adverse Effects:** No data **CAS Number Chemical Name Eco Toxicity** 96 HR LC50 LEPOMIS MACROCHIRUS > 1400000 µG/L 2-Propanol 67-63-0 96 HR LC50 PIMEPHALES PROMELAS 11130 MG/L [STATIC] 48 HR EC50 DAPHNIA MAGNA 13299 MG/L 72 HR EC50 DESMODESMUS SUBSPICATUS > 1000 MG/L 96 HR EC50 DESMODESMUS SUBSPICATUS > 1000 MG/L Water 7732-18-5 No data available

Section 13

Disposal Information

Disposal Methods:

Dispose in accordance with all applicable Federal, State and Local regulations. Always contact a permitted waste disposer (TSD) to assure compliance.

Waste Disposal Code(s):

Not Determined

Section 14

Section 15

TSCA Status:

Transport Information

Ground - DOT Proper Shipping Name:

UN number: 1219 Class: 3 Packing group: II Proper shipping name: Isopropanol Marine pollutant: No Poison Inhalation Hazard: No

Air - IATA Proper Shipping Name:

UN number: 1219 Class: 3 Packing group: II Proper shipping name: Isopropanol

Regulatory Information

Additional Information

All components in this product are on the TSCA Inventory.

Chemical Name	CAS Number	§ 313 Name	§ 304 RQ	CERCLA RQ	§ 302 TPQ	CAA 112(2) TQ
2-Propanol	67-63-0	Isopropyl alcohol	No	No	No	No

Section 16

Revised: 09/09/2015

Replaces: 08/26/2014

Printed: 10-29-2015

The information provided in this (Material) Safety Data Sheet represents a compilation of data drawn directly from various sources available to us. Carolina Biological Supply makes no representation or guarantee as to the suitability of this information to a particular application of the substance covered in the (Material) Safety Data Sheet.

Glossary

e			
ACGIH	American Conference of Governmental	NTP	National Toxicology Program
	Industrial Hygienists	OSHA	Occupational Safety and Health Administration
CAS	Chemical Abstract Service Number	PEL	Permissible Exposure Limit
CERCLA	Comprehensive Environmental Response,	ppm	Parts per million
	Compensation, and Liability Act	RCRA	Resource Conservation and Recovery Act
DOT	U.S. Department of Transportation	SARA	Superfund Amendments and Reauthorization Act
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
N/A	Not Available	TSCA	Toxic Substances Control Act
		IDLH	Immediately dangerous to life and health